BMW Group Mobile Tradition



BMW R 11 series 5

	Begin of the Production	1934
	End of the Production	1934
Engine	Internal Designation	M 56 S 5
	Motor Type	four-stroke two-cylinder flat-twin
	Bore	78 mm
	Stroke	78 mm
	Displacement	745 ccm
	Max Power	20 hp
	Rpm (Max Power)	4000 rpm
	Compression Ratio	5.5:1
	Valves	sv
	Carburetion System	1 x carburettor type Amal 6/406 SP and 6/407 SP
	Engine Lubricating System	forced-feed lubrication
	Oil Pump	gear pump
Power transmission	Clutch	two plates, dry
	Number of Gears	3
	Shifting	manual/tank shifting gate
	Gearbox Ratios	2.83/1.55/1.08
	Rear Wheel Ratio	1:4.07 (with sidecar 1:4.75)
	Bevel/Crownwheel	14/57 teeth (sidecar 12/57)
Electrical system	Generator	Bosch B 245 RS or magneto generator D 2 BRS 167
	Ignition System	battery ignition, optionally magneto ignition
	Spark Plugs	Bosch W 175 T1
Chassis	Designation	F 66 S 5
	Frame	twin-loop pressed steel frame
	Front Wheel Suspension	plate spring, 9 laminae
	Rear Wheel Suspension	rigid
	Wheel Rims	26 x 3.5 safety rims
	Tyres front	26 x 3.5 low pressure or 26 x 3.25 high pressure
	Tyres rear	26 x 3.5 low pressure or 26 x 3.25 high pressure
	Brakes front	drum brake Ø 200 mm
	Brakes rear	cardan brake, width 55 mm
Dimensions and weights	Length	2100 mm
	Width	890 mm
	Height	940 mm
	Wheel Base	1380 mm
	Fuel Tank Capacity	14
	Unladen Weight, Full Tank	162 kg
	Load Rating	210 kg
	Fuel Consumption	approx. 4,50 l/100 km
	Oil Consumption	approx. 1 - 2 l/1000 km
	Top Speed	112 kph
	Numbers Produced	7.500 (series 1-5)
	Price	1.630,- RM